



# EXXESS EASY 3

## PRODUCT OVERVIEW

Südmetall presents the  
new door handle series  
exxess easy 3

**Südmetall®**



# EXXESS EASY 3

Exxess easy 3 is the latest mounting system from Südmetall.

The modern door handle revolutionizes the traditional door opening concept with a fully integrated locking mechanism. This ingenious design makes the traditional key rosette superfluous and ensures a clear door aesthetic.

The mechanism inside the handle allows WC doors to be locked effortlessly by simply operating an intuitively placed slider. A discreet emergency release function offers additional security without detracting from the minimalist look or attracting attention.

The unlockable version of the door handle has no locking function. For additional security, there is also a lockable version that can be opened with a key.

Here too, the slider is positioned almost invisibly on the inside, while the door can be opened from the outside with the key.

## DESIGN


The door handle is universally designed and compatible with any standard mortise lock, making it an ideal solution. Its minimalist design blends seamlessly into any modern or traditional environment, emphasizing the purity of the lines without compromising functionality.

Südmetall's new exxess easy 3 door handle combines modern design with security. A real eye-catcher that unites style and protection.




# PRODUCT ADVANTAGES

The versatile design of the door handle allows it to be used on both DIN right and DIN left doors, and thanks to the lifting spring on both sides, it always works reliably.




## UNLOCKABLE

No sliding bolt



## LOCKABLE WC

With an „invisible“ sliding bolt on the inside and a discreet emergency release on the outside



## LOCKABLE WITH KEY

With an „invisible“ sliding bolt on the inside and a locking cylinder on the outside (keyed alike)




The sliding bolt is located on the inside of the door handle for the variants „Lockable WC“ and „Lockable with key“

# VOLUMINA KARREE-R



VOLUMINA KARREE-R

Black satin finish



VOLUMINA KARREE-R

Gray satin finish



VOLUMINA KARREE-R

Gold satin finish



VOLUMINA KARREE-R

White satin finish



VOLUMINA KARREE-R

Stainless steel satin finish

# VOLUMINA ROTONDA-R



VOLUMINA ROTONDA-R

Black satin finish



VOLUMINA ROTONDA-R

Gray satin finish



VOLUMINA ROTONDA-R

Gold satin finish



VOLUMINA ROTONDA-R

White satin finish



VOLUMINA ROTONDA-R

Stainless steel satin finish

Article no.	Description	Color	Characteristics	PU
2711.0400	Volumina Rotonda-R unlockable	Black satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.0410	Volumina Rotonda-R lockable WC	Black satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.0420	Volumina Rotonda-R lockable with key	Black satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.3400*	Volumina Rotonda-R unlockable	Black satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.3410*	Volumina Rotonda-R lockable WC	Black satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.3420*	Volumina Rotonda-R lockable with key	Black satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.0500	Volumina Rotonda-R unlockable	Stainless steel satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.0510	Volumina Rotonda-R lockable WC	Stainless steel satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.0520	Volumina Rotonda-R lockable with key	Stainless steel satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.3500*	Volumina Rotonda-R unlockable	Stainless steel satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.3510*	Volumina Rotonda-R lockable WC	Stainless steel satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.3520*	Volumina Rotonda-R lockable with key	Stainless steel satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.0600	Volumina Rotonda-R unlockable	White satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.0610	Volumina Rotonda-R lockable WC	White satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.0620	Volumina Rotonda-R lockable with key	White satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.3600*	Volumina Rotonda-R unlockable	White satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.3610*	Volumina Rotonda-R lockable WC	White satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.3620*	Volumina Rotonda-R lockable with key	White satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.0700	Volumina Rotonda-R unlockable	Gray satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.0710	Volumina Rotonda-R lockable WC	Gray satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.0720	Volumina Rotonda-R lockable with key	Gray satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.3700*	Volumina Rotonda-R unlockable	Gray satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.3710*	Volumina Rotonda-R lockable WC	Gray satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.3720*	Volumina Rotonda-R lockable with key	Gray satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.0900	Volumina Rotonda-R unlockable	Gold satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.0910	Volumina Rotonda-R lockable WC	Gold satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.0920	Volumina Rotonda-R lockable with key	Gold satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.3900*	Volumina Rotonda-R unlockable	Gold satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.3910*	Volumina Rotonda-R lockable WC	Gold satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
2711.3920*	Volumina Rotonda-R lockable with key	Gold satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set

\* available from end of March 2025



# BILLY-R



Article no.	Description	Color	Characteristics	PU
27.11.1000	Billy-R unlockable with screw rosette	Stainless steel satin	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1010	Billy-R lockable WC with screw rosette	Stainless steel satin	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1020	Billy-R lockable with key with screw rosette	Stainless steel satin	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1030	Billy-R lockable WC with screw rosette	Stainless steel satin	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1040	Billy-R lockable with key with screw rosette	Stainless steel satin	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1100	Billy-R unlockable with screw rosette	Black satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1110	Billy-R lockable WC with screw rosette	Black satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1120	Billy-R lockable with key with screw rosette	Black satin finish	Lifting spring, TS 38-45 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1130	Billy-R lockable WC with screw rosette	Black satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set
27.11.1140	Billy-R lockable with key with screw rosette	Black satin finish	Lifting spring, TS 50-57 mm, spindle 8 mm + sleeve 8.5 mm	Set

Article no.	Description	Norm	Color	Characteristics	PU
60.05.0110	Door hinge 2-part, Ø 15 mm	 D-Standard	Black satin finish	For wooden frames with nylon sleeve	Pcs.
60.05.0060	Door hinge 3-part, Ø 15 mm	 D-Standard	Black satin finish	For wooden frames with nylon sleeve	Pcs.
60.02.0040	Door hinge 2-part, Ø 15 mm	 D-Standard	Stainless steel satin	For wooden frames with nylon sleeve	Pcs.
60.02.0030	Door hinge 3-part, Ø 15 mm	 D-Standard	Stainless steel satin	For wooden frames with nylon sleeve	Pcs.
60.05.0200	Door hinge 2-part, Ø 15 mm	 D-Standard	White satin finish	For wooden frames with nylon sleeve	Pcs.
60.05.0230	Door hinge 3-part, Ø 15 mm	 D-Standard	White satin finish	For wooden frames with nylon sleeve	Pcs.
60.05.0190	Door hinge 2-part, Ø 15 mm	 D-Standard	Gray satin finish	For wooden frames with nylon sleeve	Pcs.
60.05.0220	Door hinge 3-part, Ø 15 mm	 D-Standard	Gray satin finish	For wooden frames with nylon sleeve	Pcs.
60.05.0210	Door hinge 3-part, Ø 15 mm	 D-Standard	Gold satin finish	For wooden frames with nylon sleeve	Pcs.
32.29.0880	Smooth sleeve, Ø 15 mm	 D-Standard	Black satin finish	Height 52 mm	Pcs.
32.29.0930	Smooth sleeve, Ø 15 mm	 D-Standard	Brass satin	Height 52 mm	Pcs.
60.06.0110	Door hinge 3-part, Ø 16 mm	 Ö-Standard	Black satin finish	For wooden frames with nylon sleeve	Pcs.
32.29.0770	Smooth sleeve, Ø 16 mm	 Ö-Standard	Black satin finish	Height 52 mm	Pcs.
32.29.0940	Smooth sleeve, Ø 16 mm	 Ö-Standard	Brass satin	Height 52 mm	Pcs.





# Südmetail®

**Süd-Metall Beschläge GmbH**

D-83404 Ainring/Hammerau | Sägewerkstrasse 5 | T +49 (0) 86 54 / 46 75 50 | F +49 (0) 86 54 / 46 75 70

eMail: [info@suedmetall.com](mailto:info@suedmetall.com) | [www.suedmetall.com](http://www.suedmetall.com)

Find us on     

## DELIVERY TERMS

Free delivery (free domicile) from € 175.00 net goods value (except long goods or pallet goods).

Package fee € 7.90 (net, without VAT).

For orders below a net goods value of € 75.00, we charge a minimum quantity surcharge of € 7.00 (net, without VAT).

Backorders will continue to be forwarded postage-free.

Freight: For pallet goods and goods over 2000 mm in length (up to approx. 80 kg), a flat-rate freight charge of € 40.00 per bundle/pallet will be applied.

From a net goods value of € 1000.00, delivery is generally FREE OF CHARGE!

(Free-house limit of € 175.00 or € 1000.00 for freight forwarding applies to deliveries within Germany and Austria!)

Except: delivery conditions to other countries! Please inquire about shipping costs!

We, SÜD-METALL BESCHLÄGE GMBH, Sägewerkstraße 5, D - 83404 Ainring / Hammerau, are responsible within the meaning of data protection law. If you are not yet our customer or have voluntarily provided us with your data for the purpose of contacting us, your data originates from our own research via freely accessible resources such as yellow pages, network platforms, trade registers and similar. Your data will be processed for the purpose of marketing without consent in accordance with Art. 6 para. 1 sentence 1 lit. f) GDPR for information in line with your interests. In any case, you can object to future processing for marketing purposes at any time. For more information on your other rights, e.g. to information, correction, deletion, your rights of appeal and to the data protection officer, please refer to our privacy policy, available at <https://www.suedmetall.com/4/datenschutz/> and our information sheet on data protection, available at [https://www.suedmetall.com/fileadmin/user\\_upload/downloads/Information\\_Datenschutz\\_D-EN.pdf](https://www.suedmetall.com/fileadmin/user_upload/downloads/Information_Datenschutz_D-EN.pdf).